

# Personal Website with Minimal Mistakes Jekyll Theme HOWTO - Part II

August 28, 2019

*This is Part II of the website HOWTO series. See [Part I](#) on Docker, [Part III](#) on deployment with GitHub pages and [Part IV](#) on SEO and analytics.*

This website is built with **Jekyll using Minimal Mistakes theme** and hosted on **GitHub Pages**. For development and writing posts I use Docker that builds a static website locally and serves it from a Docker container. I then push the local changes upstream to GitHub which then builds the website on GitHub's servers.

In this second HOWTO serie, I explain most of the changes I made to the [Minimal Mistakes theme](https://github.com/mmistakes/minimal-mistakes) (<https://github.com/mmistakes/minimal-mistakes>). So if you like how this site looks, it will save you long hours of tweaking and experimenting!

When working on my customization, I found these MM documentation links particularly useful:

- [Creating New Posts](https://mmistakes.github.io/minimal-mistakes/docs/pages/) (<https://mmistakes.github.io/minimal-mistakes/docs/pages/>)
- [Useful Markup Overview](https://mmistakes.github.io/minimal-mistakes/markup/markup-html-tags-and-formatting/) (<https://mmistakes.github.io/minimal-mistakes/markup/markup-html-tags-and-formatting/>)
- [Code Highlighting](https://mmistakes.github.io/minimal-mistakes/markup-syntax-highlighting/) (<https://mmistakes.github.io/minimal-mistakes/markup-syntax-highlighting/>)
- [Image Alignment](https://mmistakes.github.io/minimal-mistakes/markup/markup-image-alignment/) (<https://mmistakes.github.io/minimal-mistakes/markup/markup-image-alignment/>)
- [More on Image Alignment](https://mmistakes.github.io/minimal-mistakes/markup-more-images/) (<https://mmistakes.github.io/minimal-mistakes/markup-more-images/>)
- [Overlay Image](https://mmistakes.github.io/minimal-mistakes/layout/uncategorized/layout-header-overlay-image/) (<https://mmistakes.github.io/minimal-mistakes/layout/uncategorized/layout-header-overlay-image/>)
- [Splash Page](https://mmistakes.github.io/minimal-mistakes/splash-page/) (<https://mmistakes.github.io/minimal-mistakes/splash-page/>)

 **Tip:** You can find these posts in your project to see the raw code and learn from there.

## HOW TO CHANGE AVATAR FROM ROUND TO SQUARE?

- Navigate to `_sidebar.scss`
- Find `img`
- Increasing `border-radius` makes it eclipse. Change to 0% if you want the square shape. `padding` and `border` are responsible for frame around your avatar. I don't like it, so set to 0px.

```
img {  
  max-width: 200px;  
  border-radius: 0%;  
  
  @include breakpoint($large) {  
    padding: 0px;  
    border: 0px solid $border-color;  
  }  
}
```

---

## HOW TO CHANGE SIZE OF AVATAR?

- Navigate to `_sidebar.scss`
- Find `img`
- Change `max-width`, e.g. from 200px to 180px

---

## HOW TO CHANGE SIZE OF AUTHOR BIO AND MAKE IT ITALIC?

- Navigate to `_sidebar.scss`
- Find `.author__bio`
- Add font-size and font-style, e.g.:

```
.author__bio {  
  margin: 0;  
  font-size: 0.9em;  
  font-style: italic;  
  
  @include breakpoint($large) {  
    margin-top: 10px;  
    margin-bottom: 20px;  
  }  
}
```

# HOW TO CHANGE LOOK OF PHOTO CREDIT IN HEADER?

- Navigate to `_page.scss`
- Find `.page__hero-caption`
- I changed the font-size to 0.6em and opacity to 0.4 here

---

## HOW TO CHANGE LOOK OF TITLE IN HEADER?

- Navigate to `_page.scss`
- Find `.page__title`
- I tweaked text-shadow here:

```
.page__title,  
.page__meta,  
.page__lead,  
.btn {  
  color: #fff;  
  text-shadow: 3px 3px 4px rgba(#000, 0.8);  
}
```

---

## HOW TO CHANGE COLOR OF LINKS?

- Navigate to your skin (e.g. `_contrast.scss` )
- Change `$link-color` . I opted for LinkedIn color:

```
$link-color: #007bb6 !default;
```

---

## HOW TO CHANGE SIZE OF POST TITLE ON HOME PAGE?

- Navigate to `_archive.scss`
- Add font-size to `.archive__item` , e.g.:

```
.archive__item {  
  position: relative;  
  font-size: 0.8em;
```

## HOW TO CHANGE FONT TYPE EVERYWHERE?

- Navigate to `_variables.scss`
- Find `$global-font-family`
- Change it to one specified earlier in that section or add a new one e.g.

```
$global-font-family: $helvetica, Arial !default;
```

---

## HOW TO CHANGE FONT SIZE IN POSTS?

- Navigate to `_page.scss`
- Find `.page__content`
- Change p,a,li,dl font-size from 1em to e.g. 0.9em to make it smaller

```
p,  
li,  
dl {  
  font-size: 0.8em;  
}
```

---

## HOW TO CHANGE MARGINS BETWEEN HEADERS/PARAGRAPHS?

- Navigate to `_base.scss`
  - Change headers margin (h1,h2,h3,h4...) on the top from 2em to 1.3em
  - Change paragraphs (p) margin-bottom from 1.3em to 1.5em
- 

## HOW TO DELETE CALENDAR ICON IN POSTS DATE?

- Navigate to `single.html`
- Find `class="page__date"`
- And delete:

```
<i class="fas fa-fw fa-calendar-alt" aria-hidden="true">
```

## HOW TO MAKE POST DATE APPEAR AFTER THE TITLE?

- Navigate to `single.html`
- Move the following code from `<footer>` to `<header>` :

```
{% if page.last_modified_at %}
  <p class="page__date"><strong>{{ site.data.ui-text[site.locale].date_label | default: "Updated:" }}</strong>
  <time datetime="{{ page.last_modified_at | date: "%Y-%m-%d" }}">{{ page.last_modified_at | date: "%B %d, %Y" }}</time></p>
{% elsif page.date %}
  <p class="page__date"><strong>{{ site.data.ui-text[site.locale].date_label | default: "Updated:" }}</strong>
  <time datetime="{{ page.date | date_to_xmlschema }}">{{ page.date | date: "%B %d, %Y" }}</time></p>
{% endif %}
```

(Optional)

Delete "Updated:" from `single.html` and from `ui-text.yml` (called `date_label`)

## HOW TO MAKE SHARE BUTTONS APPEAR AFTER THE TITLE ON TOP OF THE PAGE?

- Navigate to `single.html`
- Move this code from footer to header:

```
{% if page.share %}{% include social-share.html %}{% endif %}
```

Few more nicities for the look of share buttons and we are done.

- Navigate to `social-share.html`
- Delete the first if Liquid block with h4 `page__share-title`
- Delete the words Twitter, LinkedIn and Facebook in between `<span>` `</span>` tags
- Navigate to `_page.scss`
- Find `.page__share`
- Delete `border-top`, `padding-top` and `margin-top`

## HOW TO DELETE PAGINATION IN POSTS?

These are the buttons “previous”/“next”

- Navigate to `single.html`
- Delete `{% include post_pagination.html %}`

## HOW TO CHANGE WIDTH OF CONTENT IN POSTS?

My MacBook Pro has dimensions larger than `$max-width` specified in `_page.scss` like so:

```
@include breakpoint($x-large) {  
  max-width: $max-width;  
}
```

`$max-width` currently is 1280px and lives in `_variables.scss`. I have increased it to 1400px to have more space for content.

## HOW TO CHANGE CODE HIGHLIGHTING?

There are two ways to highlight code:

### WAY 1

```
{% highlight html linenos %}  
some code  
{% endhighlight %}
```


### WAY 2

Just use markdown for block of code:


```
``` python  
Your block of code here  
```
```

In both cases, the colors to use are specified in your skin. For instance, contrast skin uses these colors, which you can find in `_contrast.scss`:

```
/* contrast syntax highlighting (base16) */
$base00: #000000;
$base01: #242422;
$base02: #484844;
$base03: #6c6c66;
$base04: #918f88;
$base05: #b5b3aa;
$base06: #d9d7cc;
$base07: #fdfbee;
$base08: #ff6c60;
$base09: #e9c062;
$base0a: #ffffb6;
$base0b: #a8ff60;
$base0c: #c6c5fe;
$base0d: #96cbfe;
$base0e: #ff73fd;
$base0f: #b18a3d;
```

 **Tip:** You can specify colors from another skin. Or check other [base16 colors \(https://github.com/chriskempson/base16\)](https://github.com/chriskempson/base16).

You also have base16 in the `_variables.scss` where they are specified as default colors

 **Note:** If you have Liquid syntax in your code block, don't forget to wrap it into `raw/endraw` tags or it won't be displayed otherwise.

---

## HOW TO CHANGE FONT SIZE/FONT TYPE OF CODE?

To change size/background color of inline code highlighted with `` (backticks):

- Navigate to `_base.scss`
- Change font-size in this part of code :

```
p > code,
a > code,
li > code,
figcaption > code,
td > code {
  padding-top: 0.1rem;
  padding-bottom: 0.1rem;
  font-size: 0.9em;
```

To change font type and font size of code blocks:

```
tt,  
code,  
kbd,  
samp,  
pre {  
  font-family: $monospace;  
  font-size: 0.9em;  
}
```

---

## HOW TO CHANGE LINE HIGHT IN HIGHLIGHTED CODE?

- Navigate to `_syntax.scss`
- Find `div.highlighter-rouge`
- Change `line-height`

---

## HOW TO CREATE TAGS ARCHIVE?

- Create `tags/tag-archive.md` with this content:

```
---  
title: "Posts by Tag"  
permalink: /tags/  
layout: tags  
author_profile: true  
---
```

- Navigate to `0.0.0.0:4000/tags/` in your browser to see tags archive.

📌 **Note:** Make sure that the following code is uncommented in your `_config.yml` :

```
tag_archive:  
  type: liquid  
  path: /tags/
```

---

## HOW TO CREATE POSTS BY YEAR ARCHIVE?

- Add to `navigation.yml` another nav link, e.g.

```
- title: "Archive"  
  url: /year-archive/
```



- Create `year-archive.md` with this content:

```
---
title: "Posts by Year"
permalink: /year-archive/
layout: posts
author_profile: true
---
```

Tags:

CSS

Minimal Mistakes Jekyll

---

LEAVE A COMMENT

